



ROXAS

WALL TO WALL
CARPET

CUT PILE

DIVINE®

COMPLETE CARPET SOLUTION




WW ROXAS 02 PEARL

Construction	Cut Pile	Pile Weight	990 gsm
Width	4m	Total Weight	1900 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.14 (m².K/W)
Number of Knots/sqmt	117500	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

ROXAS

CUT PILE



WW ROXAS 94 METAL

Construction	Cut Pile	Pile Weight	990 gsm
Width	4m	Total Weight	1900 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.14 (m².K/W)
Number of Knots/sqmt	117500	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

ROXAS

CUT PILE



WW ROXAS 97 GUNMETAL

Construction	Cut Pile	Pile Weight	990 gsm
Width	4m	Total Weight	1900 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.14 (m².K/W)
Number of Knots/sqmt	117500	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

ROXAS

CUT PILE




WW ROXAS 84 CINNAMON

Construction	Cut Pile	Pile Weight	990 gsm
Width	4m	Total Weight	1900 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.14 (m².K/W)
Number of Knots/sqmt	117500	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

ROXAS

CUT PILE



WW ROXAS 33 SAND

Construction	Cut Pile	Pile Weight	990 gsm
Width	4m	Total Weight	1900 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.14 (m².K/W)
Number of Knots/sqmt	117500	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

ROXAS

CUT PILE



WW ROXAS 49 CHESTNUT

Construction	Cut Pile	Pile Weight	990 gsm
Width	4m	Total Weight	1900 gsm
Pile Content	100 % Polypropylene	Pile Height	9.5 mm
Primary Backing	PP Woven	Total Height	12 mm
Secondary Backing	Felt Back	Thermal Resistance	0.14 (m².K/W)
Number of Knots/sqmt	117500	Sound Insulation	28 dB
Fire Class	Efl		

WALL TO WALL
CARPET

ROXAS

CUT PILE

DIVINE[®]

COMPLETE CARPET SOLUTION